

**DRAWWING AMENDMENT**

In compliance with 37 CFR 1.121(d), the objected drawings are corrected as follows:

Regarding the drawing objection, a numeral reference "3" for the double layer glass is added in Figs. 3, 4 and 5.

The revised drawings are labeled "Replacement Sheet" and attached herewith on the separate sheets.

**REMARKS****Claim Rejection under 35 U.S.C. 103(a):**

The ground rejection of claims 1 and 3 under 35 U.S.C. §103(a) as being unpatentable over Millett et al. (U.S. Patent No. 6,144,017) in view of Stewart (U.S. Patent No. 3,710,074), and claim 2 under 35 U.S.C. §103(a) as being unpatentable over Millett et al. (U.S. Patent No. 6,144,017) in view of Stewart (U.S. Patent No. 3,710,074) in further view of Millett et al. (U.S. Patent No. 6,660,968) are null and void by the above claim amendment.

Examiner also indicated that claims 4 to 6 are allowable subject matter, and further indicated that claims would be allowable if rewritten in a form of independent claims including all of the limitations. Thank you for indication of the allowable subject matters.

Accordingly, the limitation of claim 4 is merged into the independent claim 1 to be an allowable claim.

Therefore, the applicant believes that the present application is now in allowance condition and the early Notice of Allowance is respectively solicited.

Respectfully submitted



Peter T. Kwon  
Registration No. 45,300

**GWIPS**

Global Wide International Patent Service  
P. O. Box, 231630  
Centreville, Virginia 20120  
Tel: (434) 409-2718  
Fax: (434) 923-4037

**GWIPS**